



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/755,524	01/12/2004	John F. Bently		1375

7590 04/25/2006

Michael J. Bendel, Esq.
402 East Carrington Lane
Appleton, WI 54913

EXAMINER

STERLING, AMY JO

ART UNIT	PAPER NUMBER
----------	--------------

3632

DATE MAILED: 04/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/755,524	BENTLY, JOHN F.	
	Examiner	Art Unit	
	Amy J. Sterling	3632	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 February 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4, 8-15 and 17-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4, 8-15 and 17-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This is the **Final Office Action** for application number 10/755,524 Vent Cover Bracket and Process Therewith filed on 1/12/04. Claims 1-4, 8-15 and 17-24 are pending. This **Final Office Action** is in response to applicant's reply dated 2/27/06. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Applicant's amendment necessitated any new ground(s) of rejection presented in this Office action.

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 2/27/06 has been entered.

All claims are drawn to the same invention claimed in the application prior to the entry of the submission under 37 CFR 1.114 and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the application prior to entry under 37 CFR 1.114. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action after the filing of a request for continued

examination and the submission under 37 CFR 1.114. See MPEP § 706.07(b).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


Claim Rejections - 35 USC § 102

Claims 1-4, 8-15 and 17-24 are rejected under 35 U.S.C. 102(b) as being anticipated by United States Patent No. 6203232 to Ward.

The patent to Ward teaches a rectangular plate (1), having front and back faces, and a length and a width, and opposing edges (2a, 2b) extending in respective length and width directions, at least two openings (4, See Drawing Below) in the plate (1), each opening (4) which are completely through the plate and wholly contained within the front and back faces so as to not intersect with the side edges and wherein the at least two openings (4) comprise a single row and are slots and the slots have a length extending parallel to the length direction of the plate and the slots are each located on a center axis of the plate relative to the length direction of the plate and at least one pair of

Art Unit: 3632

orifices which are notches (5) associated with each slot and having a length extending parallel to the width of the plate and are located adjacent opposite side edges, and opposite sides of at least one of the two openings (4) and midway between opposite ends of the opening, and which extend completely through and intersect the side edges of the plate along the length of the plate, the notches extending into the plate toward the center axis of the plate relative to the length direction, wherein the notches do not intersect the adjacent opposite side edges and do not intersect at least one of the slots and intersect at least one of the slots, wherein the notches form a weakened zone associated with each slot which is perpendicular to the length direction. Ward also discloses that the orifices (5) can be four in number and wherein each pair of orifices is located on opposite sides of the openings and midway between opposite ends of the one opening and a second pair of orifices is located on opposite sides of a different opening of the two openings and midway between a first end of the first opening and a second end of a different opening. Note, the process steps were not given structural or apparatus claim weight.



Response to Arguments

The applicant has argued that the Ward reference does not teach a single row of slots and wherein one pair of orifices are associated with each slot. This is unpersuasive in that the Ward reference teaches single rows of slots which are side by side as shown above. Further, there are a pair of orifices which are associated with each slot, one on the end and one on each side of the rectangular plate, clearly indicated in the marked drawing above.


Conclusion

THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action. Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 571-272-6823. The examiner can normally be reached (M-F 8 a.m.-5:00 p.m.). If attempts to

Art Unit: 3632

reach the examiner are unsuccessful, the examiner's supervisor, Robert Olszewski can be reached at 571-272-6788. The fax machine number for the Technology center is 571-273-8300 (formal amendments) or 571-273-6823 (informal communications only). Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center receptionist at 571-272-3600.

A handwritten signature in cursive script that reads "Amy J. Sterling".

Amy J. Sterling
4/22/06